


STEP LIGHT

PAK LED



Name: PAK LED C1

Step Light

				CRI>80	CRI>90		<6 SDCM	35,000h	CCT/ 3000K 4000K/5000K	Max 40°C -20°C
--	--	--	--	--------	--------	--	---------	---------	---------------------------	-------------------

W001










1.5W
± 10%

LED Current
DC 350mA





W002

3.5W
± 10%

LED Current
DC 350mA





W003

4.5W
± 10%

LED Current
DC 350mA


W004


7W
± 10%

LED Current
DC 350mA

Step lamp light shape diagram:




Finish  Black  Chrome



Name: PAK LED C1

LED Induction Step Light



OSRAM *bridgelux*


1W
± 10%

LED Current
DC 350mA



3W
± 10%

LED Current
DC 700mA



OSRAM *bridgelux*


1W
± 10%

LED Current
DC 350mA



3W
± 10%


LED Current
DC 700mA



Finish Black White Silver

Step lamp light shape diagram:

Induction Angle: 120° / Induction Distance: 2~3m



Name: PAK LED C1

Step Light



OSRAM *bridgelux*

1W
± 10%


LED Current
DC 350mA

90°

3W
± 10%

LED Current
DC 700mA

90°



OSRAM *bridgelux*

1W
± 10%


LED Current
DC 350mA

15°

3W
± 10%

LED Current
DC 700mA

15°



OSRAM *bridgelux*

1W
± 10%



LED Current
DC 350mA

40°

3W
± 10%

LED Current
DC 700mA

40°



OSRAM *bridgelux*

1W
± 10%

LED Current
DC 350mA

120°

Finish

 Black

 Silver

 White

